



**EKOCESTRUM OVALAB, s. r. o.**  
TESTING LABORATORY EKOCESTRUM OVALAB  
TESTING LABORATORY no. 1162 ACCREDITED BY CIA  
according to SN EN ISO/IEC 17025:2018  
Martinovská 3248/166, 723 08 Ostrava - Martinov  
Tel. +420 596 963 791, tel./fax. +420 596 963 788  
e-mail: info@ekocentrum.net, www.ekocentrum.net

**TEST REPORT No. P 1196**

Pages : 1 / 2

**OWNER SAMPLE :** GymBeam s.r.o.

**Rastislavova 93  
040 01 Košice**

Order: **676/P**  
Sample: by the owner  
Delivered: by post  
Payment: paid by the owner  
Received on: 14.5.2025

Analysis completion on: 23.5.2025

Required investigation: chemical, microbiological

List of samples	
Sample No.	Identification and description of the sample
P 1196	Tribulus Terrestris - GymBeam 120 tab, Batch number: LC241649, Expiration date: 122026

### Results of investigation

Inorganic constituents: responsible Mgr. Jana Tvarožková		P 1196	
Parameter	Unit	Value	±n.%
Cadmium (Cd)	mg/kg	<b>0,13</b>	±13%
Mercury (Hg)	mg/kg	<b>&lt;0,01</b>	
Lead (Pb)	mg/kg	<b>&lt;0,2</b>	

External analysis: (sub-order)		P 1196	
Parameter	Unit	Value	±n.%
Escherichia coli	CFU/g	<b>&lt;1x10<sup>1</sup></b>	
Detection of Salmonella	in 25 g	<b>negat.</b>	

**Remark:** Uncertainty  $n = \pm$  % of the result (uncertainty extension  $k=2$ , corresponding to a reliability level of about 95%)

- sampling uncertainty not included

- values marked \* mean absolute uncertainty in units of the result

Unless otherwise stated, the results are based on the original mass of the sample.

**Required analytical methods**

Parameter	Accreditation	SOP	Clarification SOP (method)
Lead (Pb)	A	<b>A-01-1</b>	OES-ICP (acids mineralization)
Cadmium (Cd)	A	<b>A-01-1</b>	OES-ICP (acids mineralization)
Mercury (Hg)	A	<b>A-02-1</b>	AAS - AMA 254 Hg
Detection of Salmonella	SA	/	subcontract - method lab. no. 1144
Escherichia coli	SA	/	subcontract - method lab. no. 1144

Accreditation : A - accredited method, N - non-accredited method, SA - sub-order accredited, F - flexible scope of accreditation

*The testing results in this certificate relate only to the samples described above. Unless otherwise stated, all results are expressed on an as received basis.*

*The partial use and/or partial reproduction of this test report is strictly forbidden unless the laboratory provides written consent.*

*Chemistry samples will be retained for a period of 14 calendar days from the date reported unless otherwise agreed in writing with the Laboratory.*

**Report prepared by :** Šimánková Jana

**Report approved by :**

**Ing. Jiří Pavelka**  
**Head of Laboratory**

**Ostrava, date :** 23.5.2025

*Distribution list:*

*1x GymBeam s.r.o.*

*1x Laboratory EKOCENTRUM OVALAB, s.r.o.*

---

This is the last page of this document