

GymBeam Fitness Company GmbH

Kärtner Ring 1
1010 Wien
Austria



Our Sign : HKr
Date : 08.10.2026

Certificate of analysis 26048962 - 017

Sample name : Bio Spirulina powder - GymBeam 250 g

Marking of sample : 1 x 250 g 12226 24.05.2027

Customer No. : none

Packaging : Fertigverpackung/Verbundverpackung

Sample amount : 100 g (1 Unit)

Shipping of sample : Courier Service

Sample entry : 01.10.2026

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 01.10.2026 / 08.10.2026

The test results apply only to the test items described in the report. No responsibility is accepted for the validity of the results if any data or information provided by the customer may affect them. Data provided by the customer are clearly identified. The laboratory assumes no responsibility for the sampling including minimum quantities unless it was carried out by samplers from a company within the GBA Group or on its behalf. In this case, the results apply to the sample as received. The test report may not be published or reproduced, in whole or in part, without the written consent of the issuing company. The general terms and conditions are available at <https://www.gba-group.com/en/general-terms-and-conditions/>.

1 / 3

Dok.-Nr.: ML 510-01 # 2 V1 E, 511, 19.02.2026

GBA Gesellschaft für Bioanalytik mbH
Goldtschmidtstr. 5, 21073 Hamburg
Telefon +49 (0)40 797172-0
Fax +49 (0)40 797172-27
E-Mail gba-group@gba-group.de
www.gba-group.com

Sitz der Gesellschaft:
Hamburg
Handelsregister:
Hamburg HRB 42774
USt-Id.Nr. DE 118 554 138
St.-Nr. 47/723/00196
EORI-Nr. DE5400341000

Geschäftsführer:
Ralf Murzen,
Ole Borchert,
Alexander Kleinke,
Dr. Dominik Obeloer



seit 1989

Certificate of analysis : 26048962 - 017

Sample name : Bio Spirulina powder - GymBeam 250 g

Test Results

Microbiological Test	Result	Unit
E. coli	<10	cfu/g
Salmonella	negative	/ 25 g

Chemical/Physical Test	Result	Unit	± MU	MU Source	ML
Lead	0,73	mg/kg	0,15	I	3
Cadmium	0,060	mg/kg	0,012	I	1
Mercury	<0,010	mg/kg		I	0,1

Maximum levels for food supplements according to VO (EU) 2023/915

Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out. Assessment:

Regarding the determined levels of lead, cadmium and mercury, the sample complies with the maximum levels for food supplements laid down in Regulation (EU) 2023/915 (Cat. 3.1.28; 3.2.21; 3.3.2).

Hamburg, 08.10.2026

This test report is done automatically and is valid without signature.

Methods

Parameter	Method	DR
E. coli	Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 ^a ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 ₀	m
Salmonella	DIN EN ISO 6579-1: 2020-08 ^a ₀	m
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Pressure pulping	§ 64 LFGB L 00.00-19/1: 2015-06 ^a ₀₀	

The methods marked with ^a are accredited methods of the performing laboratory.

Testing laboratory: ₀GBA Hamburg (GS) ₅GBA Pinneberg ₀₀GBA Hamburg (AW)

MU-Source:

I: According to DIN ISO 11352 as expanded, combined measurement uncertainty with k = 2 (95 %), sampling not included

Certificate of analysis : 26048962 - 017

Sample name : Bio Spirulina powder - GymBeam 250 g

Decision rules:

y: In conformity assessment, measurement uncertainty is disregarded for measured values below the tolerance limit. For measured values exceeding the tolerance limit, measurement uncertainty is subtracted from the measured value. If no conformity assessment is performed, measurement uncertainty serves as informational data only.

m: The conformity assessment of microbiological measured values is performed without considering additional analytical measurands.