

GymBeam s.r.o.

Ms. Karvanská

Rastislavova 93

040 01 Kosice - mestská časť Juh

**Slovakia**



Contact person:

Rebecca Rugo

Phone +49 40 797172-435

r.rugo@gba-group.de

## **Certificate of analysis 25025928 - 002**

Sample name : Dong Quai, GymBeam, 90 caps

Marking of sample : L231133, 12/2026

Customer No. : none

Packaging : Commercial package

Sample amount : 2 x 53,9g

Shipping of sample : Courier Service

Sample entry : 28.05.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 28.05.2025 / 06.06.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our website ([gba-group.com/aqb](http://gba-group.com/aqb)).

Certificate of analysis : 25025928 - 002

Sample name : Dong Quai, GymBeam, 90 caps

## Test Results

| <i>Microbiological Test</i> | <i>Result</i> | <i>Unit</i> |
|-----------------------------|---------------|-------------|
| Salmonella                  | negative      | / 25 g      |
| E. coli                     | <10           | cfu/g       |

| <i>Chemical/Physical Test</i> | <i>Result</i> | <i>Unit</i> | <i>Max. level</i> |
|-------------------------------|---------------|-------------|-------------------|
| Lead                          | 0,091         | mg/kg       | 3                 |
| Cadmium                       | <0,010        | mg/kg       | 1                 |
| Mercury                       | <0,010        | mg/kg       | 0,1               |

Maximum levels for food supplements according to VO (EU) 2023/915

Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 06.06.2025

\_\_\_\_\_  
i. A. R. Rugo

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

| <i>Parameter</i> | <i>Method</i>                                                                                                                                       |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Salmonella       | DIN EN ISO 6579-1: 2020-08 <sup>a</sup> <sub>0</sub>                                                                                                |
| E. coli          | Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 <sup>a</sup> ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 <sub>0</sub> |
| Lead             | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                             |
| Cadmium          | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                             |
| Mercury          | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                             |

The methods marked with <sup>a</sup> are accredited methods of the performing laboratory.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg

Certificate of analysis : 25025928 - 002

Sample name : Dong Quai, GymBeam, 90 caps